

LP DRIVE[®]


POWER COMPONENTS

comfort that moves you

Actuators • Handsets and Switches • Transformers and Power Supplies • Cables and Control Boxes



ACTUATORS



Metal-to-the-Floor

	Mechanism	Part Number	Motor Type	Cable Connection	Operating Specs.		Stroke Speed	Force (N)
					Retracted (mm)	Stroke (mm)		
	ST Wall Hugger® (Direct Connection to Secondary Motor)	7722150101	Primary	5PF; 2PM; 2PF	44	333	47	800
A	ST Wall Hugger® (PM-A)	7721870001	Primary	5PF; 2PM	174	325	55	1500
	ST Wall Hugger®	7721010201	Primary	5PF; 2PM	44	333	47	800
	ST Glider and Rocker	7721400001	Primary	5PF; 2PM	157	204	40	1500
	ST Glider and ST Rocker (Long Cable with Springs)	7722140001	Primary	5PF; 2PM	157	204	40	1500
	ST Glider and ST Rocker (Long Cable)	7722420001	Primary	5PF; 2PM	157	204	40	1500

Lifts

	Mechanism	Part Number	Motor Type	Cable Connection	Operating Specs.		Stroke Speed	Force (N)
					Retracted (mm)	Stroke (mm)		
	2&3 Way Lift (Heavy-Duty)	7721470001	Primary	5PF; 2PM	395	219	7	6000
	300 EZ; 360 EZ	7721440001	Primary	5PF; 2PM	157	307	7	6000
B	Alpha Lift Standard	7722070001	Primary	5PF; 2PM; 2PF	436	92	7	5000
C	Alpha Lift Standard	7721820001	Secondary	2PM	384	204	6	8000
	400EZ (Layflat)	7721490001	Primary	5PF; 2PM; 2PF	370	158	7	5000
	400EZ	7721500001	Primary	5PF; 2PM; 2PF	416	112	7	5000
	400EZ	7721480001	Secondary	2PM	384	207	7	6000
	OEC2	7721520001	Primary	5PF; 2PM;	387	203	7	6000
	OEC2	7721540101	Primary	5PF; 2PM; 2PF	445	110	11	5000
	OEC2	7721530101	Secondary	2PM	413	181	8	6000
D	CloudZero® Lift 3 Motors (Pitch-Motor)	7721430001	Secondary	2PM	205	49	7	6000

ACTUATORS

Wood-to-the-Floor

	Mechanism	Part Number	Motor Type	Cable Connection	Operating Specs.		Stroke Speed	Force (N)
					Retracted (mm)	Stroke (mm)		
	Allevia	7721380001	Primary	5PF; 2PM; 2PF	238	84	8	6000
	Allevia	7721390001	Secondary	2PM	305	139	20	2000
	EasyCliner Standard	7721140001	Primary	5PF; 2PM	471	272	36	800
	EasyCliner Cinema (Reduced Stroke)	7722440001	Primary	5PF; 2PM	471	207	36	700
	Europaia	7721510101	Primary	5PF; 2PM	254	112	17	1500
	Evolution 2020	7721110101	Primary	5PF; 2PM	448	254	26	2000
	G30 Power (US)	7721260001	Primary	5PF; 2PM	304	134	20	2000
	Inspira	7721190001	Primary	5PF; 2PM	354	212	40	650
	InNova	7721150001	Primary	5PF; 2PM	437	288	42	1000
	InNova PM	7721160001	Primary	5PF; 2PM	532	295	42	1000
	300 Plus (PM-A)	7721890001	Primary	5PF; 2PM	180	288	55	1500
	SuperCliner; PO3	7721120101	Primary	5PF; 2PM	435	250	36	800
	Suprema Advantage CloudZero® (Direct Connection to Secondary Motor)	7722160001	Primary	5PF; 2PM; 2PF	508	368	40	2000
	Suprema Advantage Deep Seat/ PM/ CZ (Restricted Recline)	7721560201	Primary	5PF; 2PM	562	337	40	2000
	Suprema Advantage Deep Seat/ PM/ CZ	7721550201	Primary	5PF; 2PM	562	368	40	2000
	Suprema Advantage PM/ CZ (Short Rear Motor Tube)	7721590101	Primary	5PF; 2PM	508	368	40	2000
	Suprema Advantage Variable Pitch	7721570201	Primary	5PF; 2PM; 2PF	358	211	40	1500
	Suprema Advantage Variable Pitch	7721580001	Secondary	2PM	268	118	22	1800
	Suprema Ottoman Plus (Reduced Stroke)	7721370101	Primary	5PF; 2PM	372	219	50	800
	Suprema Advantage TV (Short Rear Motor Tube)	7721600001	Primary	5PF; 2PM	508	262	40	1500
E	Suprema Ottoman Plus	7721180201	Primary	5PF; 2PM	372	219	42	800
	Suprema Retro	7721100101	Primary	5PF; 2PM	486	342	36	850
	Suprema HL (3374; 3378)	7721130001	Primary	5PF; 2PM	499	345	42	1300
F	Xtreme High Leg	7722040101	Primary	5PF; 2PM	582	356	34	1300
	Xtreme High Leg Ottoman Only	7722340001	Primary	5PF; 2PM	403	147	34	1300
	EnVisiOn Rocker	7721360001	Primary	5PF; 2PM	473	222	33	2000
G	EnVisiOn Chelan	7721720001	Primary	5PF; 2PM	525	369	34	2000
	EnVisiOn Chelan Ottoman Only	7722410001	Primary	5PF; 2PM	425	288	38	1300

Cinema

	Mechanism	Part Number	Motor Type	Cable Connection	Operating Specs.		Stroke Speed	Force (N)
					Retracted (mm)	Stroke (mm)		
	Suprema Advantage Cinema CloudZero®	7721640001	Primary	5PF; 2PM	399	230	25	1300
	Suprema Advantage Cinema CloudZero®	7721610001	Primary	5PF; 2PM; 2PF	280	133	15	1300
	Suprema Advantage Cinema CloudZero®	7721620001	Secondary	2PM	233	74	15	1300
	Suprema Advantage Cinema CloudZero® with Extended Ottoman	7721630001	Secondary	2PM	233	90	15	1300

Headrests and Lumbar

	Mechanism	Part Number	Motor Type	Cable Connection	Operating Specs.		Stroke Speed	Force (N)
					Retracted (mm)	Stroke (mm)		
H	Contempo Slim	7721090001	Secondary	2PM	180	60	10	2600
	Contempo 120	7722460001	Secondary	2PM	170	90	12	1500
	Contempo XL PM-B	7721950001	Primary	5PF; 2PM	114	208	45	750
	Contempo XL PM-B	7722450001	Secondary	2PM	114	208	45	750
	VersaTilt® (42 Degrees Headrest Tilt)	7721080101	Secondary	5PF	190	33	12	800
	VersaTilt® (43 Degrees Headrest Tilt)	7721040101	Secondary	2PM	190	50	18	800
	VersaTilt® (43 Degree Headrest Tilt)	7721070101	Primary	5PF; 2PM	190	50	12	800
	Slim Tilt; VersaTilt® (50 Degrees Headrest Tilt)	7722350001	Secondary	2PM	190	42	12	800
	Dorsa; VersaTilt® SL (42 Degrees Headrest Tilt)	7721050101	Secondary	2PM	190	33	12	800
	Varirest; VersaTilt® SL (56 Degrees Headrest Tilt)	7721030101	Secondary	2PM	190	45	12	800
I	VersaTilt® SL (56 Degrees Headrest Tilt)	7721060101	Primary	5PF; 2PM	190	45	12	800

HANDSETS and SWITCHES



A



B



C



D



E



F



G



H



I



J



K



L



M



N



O



P



Q

	Mech	Description	Part Number	Motors	Home Button
A	All	Switch, Oval Shape, Black Frame, and 2 Buttons	7720310101	1	No
B	All	Switch, Oval Shape, Black Frame, and 4 Buttons	7720320101	2	No
C	All	Switch, In Seat Touch, 2 Buttons	7720330001	1	No
D	All	Switch, In Seat Touch, 4 Buttons	772034001	2	No
E	All	Switch, Rectangular Shape, Stainless Steel Frame, 2 Buttons	7720360001	1	No
F	All	Switch, Rectangular Shape, Silver Plastic Frame, 2 Buttons, and USB-C Port	7720650001	1	No
G	All	Switch, Rectangular Shape, Silver Plastic Frame, 2 Buttons with embossed arrows, and USB-C Port	7720660001	1	No
H	All	Switch, Rectangular Shape, Stainless Steel Frame, 4 Buttons, and USB-A Port (LHF)	7720370001	2	No
I	All	Switch, Rectangular Shape, Stainless Steel Frame, 4 Buttons, and USB-A Port (RHF)	7720380001	2	No
J	All	Switch, Oval Shape, Black Frame, 2 Buttons with no Backlight, and USB-C Port	7722790001	1	No
K	All	Switch, Oval Shape, Black Frame, 2 Buttons, Continuous Backlight, and USB-C Port	7722800001	1	No
L	All	Switch, Oval Shape, Black Frame, 2 Buttons with Arrows, Continuous Backlight, and USB-C Port	7722680001	1	No
M	All	Switch, Rectangular Shape, Chrome Frame, 2 Buttons Toogle, Home Button, and USB-C Port	7720530001	2	Yes
N	All	Switch, Rectangular Shape, Chrome Frame, 2 Buttons Toogle, Home Button, and USB-A/C Ports	7720520001	3	Yes
O	All	Switch, Rectangular Shape, Stainless Steel Frame, 2 Buttons, and USB-C Port	7722610001	1	No
P	All	Switch, Rectangular Shape, Stainless Steel Frame, 4 Buttons with Embossed Arrows, Home Button, and USB-C Port	7722620001	2	Yes
Q	All	Switch, Rectangular Shape, Stainless Steel Frame, 6 Buttons with Embossed Arrows, Home Button, and USB-C Port	7722630001	3	Yes

HANDSETS and SWITCHES



A



B



C



D



E



F



G



H



I



J



K




L



M


	Mech	Description	Part Number	Motors	Home Button
A	All	Handset, Black Housing, 2 Buttons	7720540101	1	No
B	All	Handset, Black Housing, 4 Buttons	7720570101	2	No
C	All	Handset, Black Housing, 6 Buttons (All open/close feature)	7720580101	2	No
D	All	Handset, Black Housing, 2 Buttons	7722820001	1	No
E	All	Handset, Black Housing, 4 Buttons	7722830001	2	No
F	All	Handset, Black Housing, Steel Plate and Soft Touch, and 2 Buttons	7722640001	1	No
G	All	Handset, Black Housing, Steel Plate and Soft Touch, and 4 Buttons	7722650001	2	No
H	All	Handset, Black Housing, Steel Plate and Soft Touch, and 6 Buttons	7722660001	3	No
I	All	Handset, Black Housing, 2 Buttons, Home Button, and USB-C Port	7722520001	1	Yes
J	All	Handset, Black Housing, 4 Buttons, Home Button, and USB-C Port	7722540001	2	Yes
K	All	Handset, Black Housing, 6 Buttons, Home Button, and USB-C Port	7722560001	3	Yes
L	All	Handset, Black Housing, 8 Buttons, Home Button, and USB-C Port	7722580001	4	Yes
M	N/A	Handset Plastic Case with Hook, Black	7722500001	N/A	N/A

TRANSFORMERS and POWER SUPPLIES



Transformers

	Mech	Description	Type	Max Output	Power Autonomy	Cycles per Charge	LPDRIVE Part No.
A	All	Power Supply with Battery Backup	SMPS	29V; 2.0A	None	7	7720000001
B	All	Power Supply without Battery Backup	SMPS	29V; 2.0A	N/A	N/A	7720020001
C	All	Power Supply without Battery Backup and (US Wall Plug)	SMPS	29V; 2.0A	N/A	N/A	7720030001
D	All	Power Supply without Battery Backup	SMPS	29V; 3.0A	N/A	N/A	7720080101
E	All	Power Supply with Battery Backup (1800mAh)	Li-ion	25.2; 3.0A	40 min	300	7720040001



Power Supply Kits


	Mech	Description	LPDRIVE Part No.
A	All	Power Supply Kit without Battery Backup	7720300001
	Includes	Power Supply without Battery Backup 2A	7720020001
		US Power Cord 1.5m	7720200001
		Cable Extension 3m	7720110001
B	All	Power Supply Kit with Battery Backup	7720500001
	Includes	Power Supply with Battery Backup 2A	7720000001
		US Power Cord 1.5m	7720200001
		Cable Extension 3m	7720110001

EXCHANGEABLE BATTERY PACK KIT




- Key Features
- 2500mAh Power Capacity
 - 35-60 Min Power Autonomy
 - 400 Cycles Per Charge
 - 2 PIN and USB-C Charging Ports
 - US Wall Plug
 - 3 Hours for Recharge (2 PIN 29V/5A)
 - 15 hours for Recharge (USB-C 5V/2A)
 - 1,20m Extension Cable

The LPDRIVE® Exchangeable Battery Pack Kit enhances your comfort experience with ultimate technology and power autonomy, including: Li-Ion Rechargeable Battery, Cable Extension with Charging Port, and US Wall Power Plug Adapter. The product has a quality statement guarantee from global certifications (UL 2054 and UL 62368), offering Class IV power efficiency and protection features against short circuit, overcurrent, overvoltage, and overheating.



	Mech	Description	Type	Max Output	LPDRIVE Part No.
A	All	Battery Pack with Charging Base (2500mAh)	Li-Ion	29V; 5.0A	7720450001
B	All	US Wall Plug with Cable Adapter	SMPS	29V; 1.8A	
C	All	Charging Port with Extension Cable	N/A	N/A	

CABLES and CONTROL BOXES



Cables

	Mech	Description	L&P Drive Part No.	Cable Connection	Length (m)
A	All	Cable Extension	7720100001	2PF to 2PF	1,5
B	All	Cable Extension	7720110001	2PM to 2PF	3,0
C	All	"Y" Splitter Cable Extension	7720120001	2PF; 2PF to 2PM	0,18
D	All	"Y" Splitter Cable Extension	7720130001	2PF; 2PF to 2PM	1,0
E	All	Cable Extension	7720140001	2PM to 2PF	2,5
F	All	Extension Cable with Charging Socket	7720150001	2PF	1,0
G	All	Cable Adapter 1 Motor	7720160001	2PM; 2PF to 5PF	2,0
	All	Cable Reverse Polarity	7720870001	5PM; 5PF	2,0
	All	Cable Adapter 2 Motors	7720170101	5PM; 2PF to 5PF	2,0
	All	Cable Adapter 3 Motors	7720180101	5PM 2PM; 2PF to 7PF	2,0
H	All	Cable Adapter 2-3 Motors	7720190101	5PM; 2PF to 7PF	2,0
I	All	Polarity Changing Cable	7720270001	MOLEX; 2PM to 2PF	1,5
J	All	Control Extension Cable	7720430001	5PM to 5PF	1,5
K	All	Cable Adapter (Molex)	7722690001	MOLEX-2PF; 2PM	1,5
L	All	Cable Adapter (Molex)	7722700001	MOLEX-2PM; 2PF	1,5
	All	Extension Cable with DC Plug (5,5mm)	7722850001	2PM	0,50
M	All	Extension Cable with DC Plug	7722860001	2PF	1,50
N	All	DC Socket Cover (Black)	7722870001	N/A	N/A
O	All	DC Socket Cover (Silver)	7722870061	N/A	N/A
	All	Safety End Cap	7720440001	N/A	N/A
P	All	US Power Cord	7720200001	N/A	1,5
Q	All	US Power Cord	7720210001	N/A	3,05
R	All	Austr Power Cord	7720260001	N/A	1,5
S	All	Austr Power Cord	7720220001	N/A	3,05
T	All	EU Power Cord	7720230001	N/A	1,5
U	All	EU Power Cord	7720240001	N/A	3,05
V	All	UK Power Cord	7720250001	N/A	1,5
W	All	Korean Power Cord	7720480001	N/A	1,5
X	All	Argentinian Power Cord	7720490001	N/A	1,5



Control Boxes

	Mech	Description	Part No.	Motors	Max Output
A	All	Control Box	7722510001	1	29V; 2.0A
B	All	Control Box with Home Function and Sequencing	7722530001	2	29V; 2.0A
C	All	Control Box with Home Function and Sequencing	7722550001	3	29V; 2.0A
D	All	Control Box with Home Function and Sequencing	7722570001	4	29V; 2.0A